



## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/661,835	09/12/2003	Mark J. Chiappetta	ISR-016-US	7708
24390 7:	590 06/22/2005		EXAMINER	
LUCASH, GESMER & UPDEGROVE, LLP			MARC, MCDIEUNEL	
40 BROAD ST SUITE 300			ART UNIT	PAPER NUMBER
BOSTON, MA	02109		3661	

DATE MAILED: 06/22/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)	
	10/661,835	CHIAPPETTA ET	AL.
Office Action Summary	Examiner	Art Unit	
	McDieunel Marc	3661	
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the c	orrespondence add	dress
A SHORTENED STATUTORY PERIOD FOR REPL' THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.1: after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply - If NO period for reply is specified above, the maximum statutory period of the period for reply within the set or extended period for reply will, by statute any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be time within the statutory minimum of thirty (30) days will apply and will expire SIX (6) MONTHS from , cause the application to become ABANDONEI	nely filed s will be considered timely the mailing date of this co D (35 U.S.C. § 133).	
Status			
1) Responsive to communication(s) filed on 30 A	<u>oril 2004</u> .		
.2a) ☐ This action is <b>FINAL</b> . 2b) ☑ This	action is non-final.		
3) Since this application is in condition for alloward closed in accordance with the practice under E			merits is
Disposition of Claims			
4) ☐ Claim(s) 1-38 is/are pending in the application. 4a) Of the above claim(s) is/are withdray. 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-9, 12-15, 17-25 and 28-38 is/are rej. 7) ☐ Claim(s) 10,11,16,26 and 27 is/are objected to 8) ☐ Claim(s) are subject to restriction and/o	wn from consideration. ected.		
Application Papers			
9) The specification is objected to by the Examine 10) The drawing(s) filed on 30 December 2003 is/a Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Ex	re: a)⊠ accepted or b)⊡ objectod drawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	37 CFR 1.85(a). ected to. See 37 CF	R 1.121(d).
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:  1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priority application from the International Bureau * See the attached detailed Office action for a list	s have been received. s have been received in Application rity documents have been receive u (PCT Rule 17.2(a)).	on No ed in this National \$	Stage
Attachment(s)			
1) X Notice of References Cited (PTO-892)	4) Interview Summary	(PTO-413)	
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 4/21/04, 8/30/04.	Paper No(s)/Mail Da		-152)

U.S. Patent and Trademark Office PTOL-326 (Rev. 1-04) Application/Control Number: 10/661,835 Page 2

Art Unit: 3661

## **DETAILED ACTION**

1. Claims 1-38 are presented for examination.

2. The abstract of the disclosure is objected to because of the word "means". Correction is required. See MPEP § 608.01(b).

## Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 4. Claims 1-9, 12-15, 17-25 and 28-38 are rejected under 35 U.S.C. 102(2) as being anticipated by **Jones** *et al.* (U.S. Pat. No. **6,809,490,B2**).

As per claims 1 and 31, <u>Jones *et al.*</u> teaches multi-mode coverage for an autonomous robot having a navigational control system for directly altering movement activity of a robotic device operating in a defined working area (col. 2, lines 35-40), comprising: a transmitting subsystem integrated in combination with the robotic device, the transmitting subsystem comprising means for emitting a number of directed beams to cover the defined working area (col. 10, lines 43-44), each directed beam having a

Art Unit: 3661

predetermined emission pattern (col. 16, lines 36-39, wherein reflective being interpreted as reflective beams); and a receiving subsystem functioning as a base station that includes a navigation control algorithm that defines a predetermined triggering event for the navigational control system and a set of detection units positioned within the defined working area (col. 16, lines 46-53), the detection units being positioned in a known aspectual relationship with respect to one another, the set of detection units being configured and operative to detect one or more of the directed beams emitted by the transmitting subsystem (col. 6, lines 28-38); and wherein the receiving subsystem is configured and operative to process the one or more detected directed beams under the control of the navigational control algorithm to determine whether the predetermined triggering event has occurred, and, if the predetermined triggering event has occurred transmit a control signal to the robotic device (col. 16, lines 36-45); wherein reception of the control signal by the robotic device causes the robotic device to implement a prescribed conduct that alters the movement activity of the robotic device (see fig. 14); each transmitting unit being configured and operative to emit a directed beam having a predetermined emission pattern at a unique operating frequency (col. 4, lines 14-19).

As per claims 2-9, 12-15, 17-25, 28-30 and 32-36, <u>Jones *et al.*</u> teaches multimode coverage for an autonomous robot wherein the emitting means comprises a mechanical sweeping transmitter configured and operative to sweep through a 360° azimuth while sequentially emitting to provide the number of directed beams (col. 12, lines 25-29); wherein the emitting means comprises a set of transmitting units integrated in combination with the robotic device so that the transmitting units have a predetermined spaced-apart relationship, and wherein the transmitting units of the set are operative to provide the number of directed beams (col. 12, lines 12-24, wherein measuring distance implies the use of directed beams); wherein the predetermined

Application/Control Number: 10/661,835 Page 4

Art Unit: 3661

emission pattern of the emitted directed beams and the number of beams are correlated so that the transmitting subsystem emulates an omnidirectional transmitting source covering the defined working area (col. 7, lines 61 – to – col. 8, line – 10, wherein x an y axis imply multidirectional); wherein the emitting means is configured and operative to emit the directed beams at a common operating frequency (col. 12, lines 12-14); wherein the emitting means is sequentially cycled on and off (col. 12, lines 40-41); wherein the transmitting subsystem and the receiving subsystem are synchronized for operation wherein a travel vector for the robotic device is determinable (col. 11, line 45 – to – line -11); wherein the one or more basic maneuvers are selected from a group of maneuvers consisting of clockwise turns, counterclockwise turns, forward movement, and aft movement (col. 16, lines 11-25).

## Allowable Subject Matter

- 5. Claims 10-11, 16 and 26-27 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.
- 6. The following is a statement of reasons for the indication of allowable subject matter:

The prior art of record fail to teach or fairly suggest with respect to claim 10, a navigational control system comprising initialize a timing sequence when the emitting means is cycled off, and then sequentially cycle the emitting means on and off so that the directed beams achieve peak signal strengths at different times with respect to the initialized timing sequence ...with respect to claim 26, a navigational control system

Application/Control Number: 10/661,835

Art Unit: 3661

comprising receiving subsystem is configured and operative to segment the defined working area into a plurality of cells that define a grid map of the defined working area referenced to the receiving subsystem; process signals representative of detection of the one or more directed beams over a time interval to determine a set of instantaneous positions representing the movement activity of the robotic device ...with respect to claim 16, a navigational control system wherein the set of detection units comprises a first detection unit, a second detection unit, and a third detection unit, and wherein the first and second detection units are spaced-apart by a known angular distance, the second and third detection units are spaced apart by a known angular distance, and the first and third detection units are spaced apart by a known angular distance in combination with the other features of the claimed invention.

Page 5

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to McDieunel Marc whose telephone number is (571) 272-6964. The examiner can normally be reached on 6:30-5:00 Mon-Thu.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thomas Black can be reached on (571) 272-6956. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

Art Unit: 3661

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

McDieunel Marc

Tuesday, May 31, 2005

MM/